

SAFETY DATA SHEET MIXXIT CONCENTRATED WASHING UP LIQUID

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Container size

Product name MIXXIT CONCENTRATED WASHING UP LIQUID

Internal identification MXX587

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Washing up liquid. Antibacterial detergent for manual washing of pots, pans, crockery and

utensils.

2x2L

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

MIXXIT CONCENTRATED WASHING UP LIQUID

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

Detergent labelling Contains BRONOPOL (INN)

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM DODECYL BENZENE SULPHONATE

10-30%

CAS number: 68411-30-3 EC number: 270-115-0 REACH registration number: 01-

2119489428-22-XXXX

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES

5-10%

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

ETHOXYLATED ALCOHOLS, C12-C13

1-5%

CAS number: 160901-19-9 EC number: 500-457-0

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

ETHANOL <1%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification

Flam. Liq. 2 - H225

CITRIC ACID MONOHYDRATE

<1%

CAS number: 5949-29-1 EC number: 691-328-9

Classification

Skin Irrit. 2 - H315

MIXXIT CONCENTRATED WASHING UP LIQUID

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0 REACH registration number: 01-

2119980938-15-XXXX

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Not applicable.

Ingestion Give a few small glasses of water or milk to drink. Get medical attention if symptoms are

severe or persist.

Skin contact Wash with plenty of water.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation The product is not believed to present a hazard due to the ionic, non-volatile nature of its

active chemical constituents.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact

No adverse effects known.

Eye contact

Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

5.3. Advice for firefighters

Protective actions during

Fight fire with normal precautions from a reasonable distance.

firefighting

MIXXIT CONCENTRATED WASHING UP LIQUID

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Take care as floors and other surfaces may become slippery. Do not

touch or walk into spilled material.

6.2. Environmental precautions

The product contains a substance which is harmful to aquatic organisms. Avoid discharge to **Environmental precautions**

the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Flush away spillage with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep containers upright. Store at temperatures between

0°C and 40°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

CITRIC ACID MONOHYDRATE

Long-term exposure limit (8-hour TWA): 4 mg/m³ Short-term exposure limit (15-minute): 10 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

MIXXIT CONCENTRATED WASHING UP LIQUID

Hand protection For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.

Respiratory protection Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Amber.

Odour Almost odourless.

pH (concentrated solution): 4.5 - 5.5

Initial boiling point and range 100°C

Flash point Not applicable.

Relative density ~ 1.03 @ 20°C

Soluble in water.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not determined.

Viscosity 1200 - 1800 cP @ 20°C

Explosive properties Not applicable.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 23 - 24

Volatile organic compound Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific requirements are anticipated under normal conditions of use.

10.6. Hazardous decomposition products

MIXXIT CONCENTRATED WASHING UP LIQUID

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 2,334.27

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No potential for bioaccumulation.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

MIXXIT CONCENTRATED WASHING UP LIQUID

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date 04/02/2021

Revision 17

Supersedes date 10/09/2020

SDS number 10132

MIXXIT CONCENTRATED WASHING UP LIQUID

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.