

CLEENOL
For every job



SAFETY DATA SHEET MIXXIT CONCENTRATED TOILET CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MIXXIT CONCENTRATED TOILET CLEANER
Internal identification MXX619
Container size 2x2L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Toilet cleaner and descaler.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd
 Neville House
 Beaumont Road
 Banbury
 Oxon OX16 1RB
 UK
 Tel: +44 (0)1295 251721
 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226
Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318
Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.
 H314 Causes severe skin burns and eye damage.
 H411 Toxic to aquatic life with long lasting effects.

MIXXIT CONCENTRATED TOILET CLEANER

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p>
Contains	2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL
Supplementary precautionary statements	<p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P273 Avoid release to the environment.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P391 Collect spillage.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CITRIC ACID		10-30%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01-2119457026-42-XXXX
Classification		
Eye Irrit. 2 - H319		
2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL		10-30%
CAS number: 25307-17-9	EC number: 246-807-3	REACH registration number: 01-2119510876-35-XXXX
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Skin Corr. 1A - H314		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

MIXXIT CONCENTRATED TOILET CLEANER

ETHANOL		5-10%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-XXXX
Classification		
Flam. Liq. 2 - H225		
SODIUM P-CUMENESULPHONATE		5-10%
CAS number: 15763-76-5	EC number: 239-854-6	REACH registration number: 01-2119489411-37-XXXX
Classification		
Eye Irrit. 2 - H319		
PROPAN-2-OL		1-5%
CAS number: 67-63-0	EC number: 200-661-7	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
TOLUENE		<1%
CAS number: 108-88-3	EC number: 203-625-9	
Classification		
Flam. Liq. 2 - H225		
Skin Irrit. 2 - H315		
Repr. 2 - H361d		
STOT SE 3 - H336		
STOT RE 2 - H373		
Asp. Tox. 1 - H304		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. No special treatment required.
Ingestion	Do not induce vomiting unless under the direction of medical personnel. Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Get medical attention if a large quantity has been ingested.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	May cause permanent damage if eye is not immediately irrigated. Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Considered to be a low inhalation hazard at normal workplace temperatures.
-------------------	--

MIXXIT CONCENTRATED TOILET CLEANER

Ingestion	Corrosive. May cause severe internal injury.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments	Treat symptomatically.
----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
-------------------------------------	---

Unsuitable extinguishing media	Do not use water, if avoidable.
---------------------------------------	---------------------------------

5.2. Special hazards arising from the substance or mixture

Specific hazards	Flammable liquid and vapour.
-------------------------	------------------------------

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Move containers from fire area if it can be done without risk. Avoid the spillage or runoff entering drains, sewers or watercourses.
---	---

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and clothing. Provide adequate ventilation. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid discharge to the aquatic environment. Avoid or minimise the creation of any environmental contamination.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Avoid contamination of ponds or watercourses with washing down water. Absorb small quantities with paper towels and evaporate in a safe place. Discharge of small quantities to the sewer with plenty of water may be permitted.
--------------------------------	--

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Avoid contact with skin, eyes and clothing.
--------------------------	---

Advice on general occupational hygiene	Wash hands thoroughly after handling.
---	---------------------------------------

7.2. Conditions for safe storage, including any incompatibilities

MIXXIT CONCENTRATED TOILET CLEANER

Storage precautions Keep only in the original container in a cool, well-ventilated place. Keep container tightly sealed when not in use. Keep at temperature not exceeding 24°C. Keep away from combustible material. Keep away from heat, sparks and open flame. Store locked up.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

CITRIC ACID

Long-term exposure limit (8-hour TWA): 4 mg/m³

Short-term exposure limit (15-minute): 10 mg/m³

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

TOLUENE

Long-term exposure limit (8-hour TWA): WEL 50 ppm(Sk) 191 mg/m³(Sk)

Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 574 mg/m³(Sk)

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands from chemicals, gloves should comply with European Standard EN374.

Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

Respiratory protection

No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Blue.
Odour	Alcoholic.
pH	pH (concentrated solution): 2.5 - 3.0
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	29°C Pensky-Martens closed cup.
Relative density	~ 1.06 @ 20°C

MIXXIT CONCENTRATED TOILET CLEANER

Solubility(ies)	Soluble in water.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	700 - 1500 cP @ 20°C Slightly viscous.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	38 - 42
Volatile organic compound	See SECTION 3: Composition/information on ingredients.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid heat, flames and other sources of ignition.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Information given is based on data of the components and of similar products.
------------------------------	---

Acute toxicity - oral

ATE oral (mg/kg)	2,777.78
-------------------------	----------

Skin corrosion/irritation

Skin corrosion/irritation	Causes severe burns.
----------------------------------	----------------------

Serious eye damage/irritation

Serious eye damage/irritation	Causes serious eye damage.
--------------------------------------	----------------------------

Medical considerations	Pre-existing eye problems.
-------------------------------	----------------------------

SECTION 12: Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.
--------------------	--

MIXXIT CONCENTRATED TOILET CLEANER

12.1. Toxicity

Toxicity Very toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No potential for bioaccumulation.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

Disposal methods The product is designed and intended for disposal to public sewer after use.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 2920

UN No. (IMDG) 2920

UN No. (ICAO) 2920

UN No. (ADN) 2920

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

Proper shipping name (IMDG) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

Proper shipping name (ICAO) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

Proper shipping name (ADN) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID subsidiary risk 3

ADR/RID classification code CF1

ADR/RID label 8


IMDG class 8

IMDG subsidiary risk 3

MIXXIT CONCENTRATED TOILET CLEANER

ICAO class/division	8
ICAO subsidiary risk	3
ADN class	8
ADN subsidiary risk	3

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-E, S-C
ADR transport category	2
Emergency Action Code	•3W
Hazard Identification Number (ADR/RID)	83
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p>
----------------	--

MIXXIT CONCENTRATED TOILET CLEANER

Guidance

EH40/2005 Workplace exposure limits
 Containing the list of workplace exposure limits for use with the Control of Substances
 Hazardous to Health Regulations 2002 (as amended)
 Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	25/02/2021
Revision	16
Supersedes date	18/03/2020
SDS number	21253
Hazard statements in full	<p>H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.